

6 JavaScript ES13 Features

swipe

JS



Class Field Declaration

Before ES13, class fields could only be declared in the constructor. Unlike in many other languages, we could not declare or define them in the outermost scope of the class.

ES13 removes this limitation. Now we can write code like this:

```
class Car {
  color = 'blue';
  age = 2;
}
const car = new Car();
console.log(car.color); // blue
console.log(car.age); // 2
```

Private Methods & Fields

Previously, it was not possible to declare private members in a class. A member was traditionally prefixed with an underscore (`_`) to indicate that it was meant to be private, but it could still be accessed and modified from outside the class.

With ES13, we can now add private fields and members to a class, by prefixing it with a hashtag (`#`). Trying to access them from outside the class will cause an error:

```
Private Field

class Person {
  #firstName = 'Joseph';
  #lastName = 'Stevens';
  get name() {
    return `${this.#firstName} ${this.#lastName}`;
  }
}

const person = new Person();
console.log(person.name);
// SyntaxError: Private field '#firstName' must
// be declared in an enclosing class
console.log(person.#firstName);
console.log(person.#lastName);
```

await at the Top Level

In JavaScript, the `await` operator is used to pause execution until a Promise is settled (fulfilled or rejected).

Previously, we could only use this operator in an `async` function - a function declared with the `async` keyword. We could not do so in the global scope. With ES13, now we can:

```
Top Level await

function setTimeoutAsync(timeout) {
  return new Promise((resolve) => {
    setTimeout(() => {
      resolve();
    }, timeout);
  });
}

// Waits for timeout - no error thrown
await setTimeoutAsync(3000);
```

at() Method for Indexing

We typically use square brackets (`[]`) in JavaScript to access the Nth element of an array, which is usually a simple process. We just access the $N - 1$ property of the array.

The new `at()` method lets us do this more concisely and expressively. To access the Nth element from the end of the array, we simply pass a negative value of $-N$ to `at()`.

```
at()

const arr = ['a', 'b', 'c', 'd'];
// 1st element from the end
console.log(arr.at(-1)); // d
// 2nd element from the end
console.log(arr.at(-2)); // c
```

Error Cause

Error objects now have a **cause** property for specifying the original error that caused the error about to be thrown. This helps to add additional contextual information to the error and assist the diagnosis of unexpected behavior. We can specify the cause of an error by setting a cause property on an object passed as the second argument to the **Error()** constructor.

```
error-cause

function userAction() {
  try {
    apiCallThatCanThrow();
  } catch (err) {
    throw new Error('New error message', { cause: err
  })
}

try {
  userAction();
} catch (err) {
  console.log(err);
  console.log(`Cause by: ${err.cause}`);
}
```

RegExp Match Indices

This new feature allows us to specify that we want to get both the starting and ending indices of the matches of a **RegExp** object in a given string.

Previously, we could only get the starting index of a regex match in a string. We can now specify a **d** regex flag to get the two indices where the match starts and ends.

```
regex

const str = 'sun and moon';
const regex = /and/d;
const matchObj = regex.exec(str);
console.log(matchObj);
// [
//   'and',
//   index: 4,
//   input: 'sun and moon',
//   groups: undefined,
//   indices: [ [ 4, 7 ], groups: undefined ]
// ]
```



JS

**Follow me to get more
information and
updates like this.**

Like & Share