



HTTP METHODS









- Purpose: Retrieves data from a server.
- Example:

https://api.example.com/users/1
Retrieves the user with ID 1.

POST

- Purpose: Submits data to a server, often used for creating new resources or performing actions.
- Example:

https://api.example.com/users

Creates a new user with the provided data.

PUT

- Purpose: Updates a resource on a server.
- Example:

https://api.example.com/users/1

Updates the user with ID 1 using the provided data.

DELETE

- Purpose: Removes a resource from a server.
- Example:

https://api.example.com/users/1
Deletes the user with ID 1.

PATCH

- Purpose: Applies partial updates to a resource on a server.
- Example:

https://api.example.com/users/1

Updates only the email field of the user with ID 1.

HEAD

- Purpose: Retrieves the HTTP headers of a resource without the body.
- Example:

https://api.example.com/users/1
Gets the headers of the user with ID 1.

OPTION

- Purpose: Returns information about the supported
 HTTP methods and headers for a resource.
- Example:

https://api.example.com/users/1

Gets information about the allowed methods for the user with ID 1.

TRACE

- Purpose: Echoes the request back to the client for debugging purposes.
- Example:

https://api.example.com/users/1

Sends the request back to the client for inspection.

DONT FORGET TO LIKE, SHARE AND SAVE IF YOU LIKE THIS POST