



**HTTP**

**methods**

**you must**

**know**



# Get

Example

**GET/ api/customers**

 **Return all customers**

Description


Retrieves data from server. it should retrieve data and should have no other side effect.

# POST



Example

**POST/ api/customers**

 **Post data to the server**

Description

Used to **send data to a server** to create a new resource. The data is included in the body of the request



# PUT

Example

PUT/ api/customers/123

Update customer by ID

Description

Similar to POST, but it's used to **update an existing** resource



# PATCH

Example

PATCH/ api/customers/1234

{'name': "cherry"}

Update name for customer  
by ID 1234

Description

Used to update resources but it only updates the **fields** that were **included** in the **request**



# DELETE

Example

**DELETE/ api/customers/143**

**Delete customer by ID**

Description

**Deletes a resource.**

Regardless of number of calls, it returns the same result.



# HEAD

Example

HEAD/ api/customers

Similar to GET, but does not return the list of customers

Description

Typically used to **check** if a resource is **available** and to **get** the **metadata**.



# OPTIONS

Example

`OPTIONS/ api/main.html/1.1`

**Return Permitted HTTP method in this URL**

Description

Used to get information about the possible communication options for the given URL or an asterisk to refer to the entire server.





# TRACE

Example

**TRACE/ api/main.html**

**Responds the exact request  
that client sent**

Description

Used for diagnosis purposes. It echoes the received request so that a client can see what changes or additions have been made by intermediate servers

# CONNECT



Example

Connect `www.example.com:8080`

**Connect to the URL Provided**

Description

Used for making end to end connections between a client and a server, it makes a two way connection like a tunnel between them.

**Enjoyed this ?**

Follow for more  
such content like  
this