


Design Patterns


for



Designing and Implementing


Microservices

GATEWAY PATTERN




Use an API Gateway to handle client requests and route them to the appropriate microservices. This centralized authentication, load balancing, and routing logic.

SERVICE REGISTRY PATTERN




Implement a service registry to automatically locate and register microservices. This helps in dynamic discovery and communication between services.

CIRCUIT BREAKER PATTERN




Prevent cascading failures by using a circuit breaker that can temporarily stop requests to a failing service and provide fallback mechanisms.

SAGA PATTERN




Manage long-lived transactions across multiple microservices by breaking them down into a sequence of smaller, local transactions.

CQRS PATTERN




Separate the read and write responsibilities of a system, allowing for optimized performance and scalability.

BULKHEAD PATTERN




Isolate failures within separate sections to prevent them from affecting the entire system.

SIDECAR PATTERN




Attach a separate microservice (sidecar) to handle specific tasks like monitoring, logging, or authentication.

API COMPOSITION PATTERN




Combine multiple microservices to create a more complex and feature-rich API for clients.

EVENT-DRIVEN ARCHITECTURE PATTERN




Communicate between microservices through events, enabling loose coupling and scalability.

DATABASE PER SERVICE PATTERN




Each microservice has its own dedicated database to ensure loose coupling and autonomy.

RETRY PATTERN




Automatically retry failed operations to improve the chances of success.

CONFIGURATION EXTERNALIZATION PATTERN




Store configuration settings outside the codebase for easier management and updates.

STRANGLER FIG PATTERN



Gradually replace components of a legacy system with new ones until the old system is "strangled" and replaced entirely.

LEADER ELECTION PATTERN



Designate a leader among instances of a microservice for tasks like coordination and decision-making.

Microservices

Thank
you!



FOLLOW

For More